



<b>Project:</b>	<b>Type:</b>
<b>Prepared By:</b>	<b>Date:</b>

**Technical Specifications**

**Performance**

**Product Type:**

Exit Sign

**Description:**

Ultra-economy exit sign with universal faces, options for red or green letters, and 90 minutes of emergency backup.

**Input Power (W):**

1.2W

**Electrical**

**Power Factor:**

0.4

**Input Voltage:**

120-277V

**Operating Frequency:**

50/60Hz

**Input Current @ 120V (mA):**

20mA

**Input Current @ 277V (mA):**

10mA

**Maximum Output Wattage:**

0.3W

**Dual Voltage Circuit Operation:**

No

**Operating Temperature:**

32°F to 104°F (0°C to 40°C)

**Emergency Illumination:**

90 minutes

**Battery Type:**

Nickel Cadmium

**Battery Voltage:**

1.2V

**Recharge Time Required:**

24-hours

**Battery Operating Temperature:**

0°F to 40°F (32°C to 104°C)

**Storage Temperature:**

68°F to 86°F (20°C to 30°C)

**Storage Shelf Life:**

3 years before the initial charge. 5 years after initial charge.

**Self Diagnostics:**

No, manual test only

**Remote Test Switch:**

No

**Emergency Backup**

**Battery Backup:**

Yes

**Installation**

**Mounting Method:**

Back/Top/Side

**Mounting Type:**

Wall/Ceiling Mount

**Cold Weather Rated:**

No

**Construction**

**Shape:**

Rectangle

**Housing Material:**

Thermoplastic

**Housing Color:**

White

**Panel Material:**

Thermoplastic

**Technical Specifications (continued)****Panel Color:**

White

**Letter Color:**

Red/Green

**Number of Faces:**

Universal Single/Double Face

**Arrow Direction:**

Left/Right Arrow

**Sign Format:**

Stencil

**Remote Capacity:**

No

**Remote Heads Replaceable:**

No

**Compliance**

---

**Listings:**

UL924 Listed

**Environment:**

Suitable for use in dry and damp environments

**IP Rating:**

IP20

**T20 Compliant:**

Can be used to conform with the requirements of California Title 20

**California Title 24 JA8 Compliant:**

No

**California Energy Commission (CEC) Status:**

Lawful for Sales in California

**FCC:**

Complies with Part 15 of the FCC Rules

**Other**

---

**Compatible Products:**

EREMOTE-RTS

Wall Mount Remote Test Button Switch

**5-Year, No-Compromise Warranty:**

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of five (5) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).

